

GRYB

AG & LIGHT INDUSTRIAL

AG & LIGHT INDUSTRIAL INDUSTRIAL IMPLEMENTS

GRYB SHEAREX



GRYB'S AG & LIGHT INDUSTRIAL

GRYB Ag & Light Industrial offers versatile and durable solutions for agricultural and light industrial needs.

Our specialized tools, like buckets, disk harrows, and snowblowers, help compact machinery operators perform tasks with precision and ease.

COMPACT TRACTOR

6	Standard Duty Snowblower	GRYB
6	Two Stage 3-pt Inverted Snowblower	GRYB
6	Commercial Snowblower	GRYB
7	Large Commercial Snowblower	GRYB
7	Standard Front Snowblower	GRYB
7	Commercial Front Snowblower	GRYB
8	Front Loader Snowblower	GRYB
8	Rotary Broom	GRYB
8	Commercial Rotary Broom	GRYB
9	Standard Debris Blower	GRYB
9	Large Debris Blower	GRYB
9	3-pt Disk Harrow	GRYB
10	Front Blade	GRYB
10	Hydraulic Post Hole Digger	GRYB
10	Directional Blade	GRYB
11	Reversible Snow Pusher	GRYB
11	Blue Gryb Rotating Icebreaker	GRYB
11	V-Plow	GRYB
12	Spreader Bucket	GRYB

COMPACT EXCAVATOR

16	Reversible Wedge Quick Coupler	GRYB
16	Pin Grabber	GRYB
16	Female Blank Lugs	GRYB
17	GTR Tiltrotator	GRYB
17	Ditching Bucket	GRYB
17	Heavy Duty Bucket	GRYB
18	Trapezoidal Bucket	GRYB
18	Hydraulic Tilt Ditching Bucket	GRYB
18	Skeleton Bucket	GRYB
19	4 in 1 Bucket	GRYB
19	Hydraulic Stick Pivot Thumb	GRYB
19	Universal Weld-on Thumb	GRYB
20	Root Rake	GRYB
20	Ripper	GRYB
20	AHJ Reversible Bucket	GRYB
21	Excavator Mulcher VM Series	SHEAREX

COMPACT WHEEL LOADER /CTL

24	Hydraulic Quick Coupler	GRYB
24	Female Blank Lugs	GRYB
24	Light Material Bucket	GRYB
25	Woodchip Bucket	GRYB
25	General Purpose Bucket	GRYB
25	Side Dump Bucket	GRYB
26	High Dump Bucket	GRYB
26	Multi-Purpose Bucket	GRYB
26	Skeleton Bucket	GRYB
27	Grapple Bucket	GRYB
27	Heavy Duty Bucket	GRYB
27	Jib Boom	GRYB
28	Fork	GRYB
28	Bite Limiter Mulcher HM Series	SHEAREX
28	Drum Mulcher HD Series	SHEAREX
29	Brush Grapple	SHEAREX

COMPACT TRACTOR / CTL IMPLEMENTS

STANDARD DUTY SNOWBLOWER

6



TWO STAGE 3-PT INVERTED SNOWBLOWER

6

COMMERCIAL SNOWBLOWER

6



LARGE COMMERCIAL SNOWBLOWER

7



STANDARD FRONT SNOWBLOWER

7



COMMERCIAL FRONT SNOWBLOWER

7



FRONT LOADER SNOWBLOWER

8



ROTARY BROOM

8



COMMERCIAL ROTARY BROOM

8



STANDARD DEBRIS BLOWER

9



LARGE DEBRIS BLOWER

9

3-PT DISK HARROW

9



FRONT BLADE

10



**HYDRAULIC
POST HOLE
DIGGER**

10



**DIRECTIONAL
BLADE**

10



**REVERSIBLE
SNOW PUSHER**

11



**BLUE GRYP
ROTATING
ICEBREAKER**

11



V-PLOW

11



**SPREADER
BUCKET**

12





STANDARD DUTY SNOWBLOWER

Manufacturer	GRYB
Width	48 to 94 inches
Auger	Single
Compatibility	Standart 3-pt hitch and ASABE quick hitch.

2-part manual chute for a better control of snow projection.

Adjustable deflector for a complete control of distance and height projection of the snow.

Multiple hitch compatibilities for different uses.

Skid shoes are adjustable for increased life and durability.

TWO STAGE 3-PT INVERTED SNOWBLOWER

Manufacturer	GRYB
Width	64 to 74 inches
Auger	Single
Chute rotation	Manual or hydraulic

2-part manual chute for a better control of snow projection.

Adjustable deflector for a complete control of distance and height projection of the snow.

Multiple hitch compatibilities for different uses.

Skid shoes are adjustable for increased life and durability.

COMMERCIAL SNOWBLOWER

Manufacturer	GRYB
Width	74 or 80 inches
Auger	Single
Compatibility	Standart 3-pt hitch cat. 1 and 2 and also compatible with ASABE Quick hitch cat. 1 and 2.

3-part hydraulic chute for a better and more accurate projection of the snow with a rotation angle going from 283° up to 293°.

Replaceable cutting edge with many types available in option.

Tool free adjustable skid shoes to fit the ground type. Different skid shoe types available in option.





LARGE COMMERCIAL SNOWBLOWER

Manufacturer	GRYB
Width	88 to 102 inches
Auger	Single
Chute rotation	Standart 3-pt hitch cat. 2 and 3 and also compatible with ASABE Quick hitch cat. 2 and 3.

Rotating drum equipped models available.

2-part or 3-part chute available, depending on the accuracy of the snow throwing needed for the operations.

Tool free adjustable skid shoes to fit the ground type. Different skid shoe types available in option.

Replaceable cutting edge with many cutting edge types available in option.



STANDARD FRONT SNOWBLOWER

Manufacturer	GRYB
Width	54 inches
Auger	LH and RH single auger with shearbolt.
Compatibility	Front mount 4-pt hitch.

4 blades fan with shearbolt.

2-part chute for a optimised control on the projection of the show.

Hydraulic chute rotation and electric chute deflector can be easily adjusted for versatility.

Standard drift cutter to cut into snowbank.



COMMERCIAL FRONT SNOWBLOWER

Manufacturer	GRYB
Width	80 inches
Auger	Single
Requirements	A subframe with drive is required.

Removes snow while driving forward.

Tool free adjustable skid shoes to fit the ground type. Different skid shoe types available in option.

Hydraulic chute rotation can be easlily adjusted for versatility with angles going from 283° up to 293°.

Replaceable cutting edge durability for lasting performance.



FRONT LOADER SNOWBLOWER

Manufacturer	GRYB
Width	64 or 76 inches
Auger	Single
Rotary drum	Available on some models

Removes snow while driving forward.

Hydraulic driven snowblower with hydraulic block valve to prevent clogging.

Tool free adjustable skid shoes to fit the ground type. Different skid shoe types available in option.

245° of hydraulic chute rotation can be easily adjusted for versatility.

Replaceable cutting edge durability for lasting performance.



ROTARY BROOM

Manufacturer	GRYB
Width	60 to 84 inches
Wafer brush diameter	32 inches

Hydraulic angling degree range.

Optional dust suppression system.

Optional gauge wheel kit for setting surface height of broom.

Includes female hitch, broom half of driveline. Crated.

Rear supports for de-icing nozzle.



COMMERCIAL ROTARY BROOM

Manufacturer	GRYB
Width	60 to 84 inches
Wafer brush diameter	32 inches

Hydraulic angling degree range.

Optional dust suppression system.

Optional gauge wheel kit for setting surface height of broom.

Includes female hitch, broom half of driveline. Crated.

Rear supports for de-icing nozzle.



STANDARD DEBRIS BLOWER

Manufacturer	GRYB
Air flow	3,200 ft ³ per minute
Air velocity	212 mph (341 km/h)
Fan	20 inches diameter - 12 blades
Compatibility	Front mount 4-pt hitch, with standart 3-pt hitch category 1 and 2 and also compatible with ASABE Quick hitch category 1 and 2.

25° hydraulic adjustable discharge nozzle.

Two stages nozzle: the lower stage clear the ground from debris and the upper stage blow and propel debris.

Adjustable discharge outlet, only right or left.

3 pneunatic wheel for a better float on the ground.

LARGE DEBRIS BLOWER

Manufacturer	GRYB
Air flow	6,000 ft ³ per minute
Air velocity	212 mph (341 km/h)
Fan	29.5 inches diameter - 12 blades
Compatibility	Front mount 4-pt hitch, with standart 3-pt hitch category 1 and 2 and also compatible with ASABE Quick hitch category 1 and 2.

25° hydraulic adjustable discharge nozzle.

Two stages nozzle: the lower stage clear the ground from debris and the upper stage blow and propel debris.

Adjustabke discharge outlet, only right or left.

3 pneunatic wheels for a better float on the ground.

3-PT DISK HARROW



Manufacturer	GRYB
Width	75 to 95 inches
Disks	Notched or smooth
Disks quantity	16 or 20
Compatibility	Standard 3-pt hitch cat. 1 and also compatible with ASABE quick hitch cat. 1.

Disk blades for a variety of conditions.

Tool free gang angle adjustment.

Scraper kit to remove soil buildup.

Furrow filler kit.



FRONT BLADE

Manufacturer	GRYB
Width	60 inches
Compatibility	Front mount 4-pt hitch

Reversible cutting edge provides twice the durability and work life.

Skid shoes prevent ground gouging.

Trip-edge protection prolongs working life.

HYDRAULIC POST HOLE DIGGER


Manufacturer	GRYB
Weight	250 lbs
Auger drive	Hydraulic, encapsulated inside gearbox

Hook-up parking stand and auger positioning handle.

Anti-burying plate.

Spiral and screw point augers.

Optional hex head double auger. Available in 6x36, 9x36, and 12x36 inches models.



DIRECTIONAL BLADE

Manufacturer	GRYB
Machine class	10 to 50
Width	8 to 16 feet
Height	36 or 44 inches



Scan for complete product specifications

Optimal snow clearance with shock absorber system.

Wear shoes included.

Interchangeable wear parts.



REVERSIBLE SNOW PUSHER

Manufacturer	GRYB
Machine class	10 to 50
Width	6 to 16 feet
Height	30 to 48 inches



Scan for complete product specifications

Different choice of blades: Teflon, high-resistance steel or icebreaker.

Welded side panels (different lengths are available).

Bolted anti-wear plates.



BLUE GRYB ROTATING ICEBREAKER

Manufacturer	GRYB
Machine class	10+
Roller width	41 to 103 inches
Number of rollers	6 to 15



Scan for complete product specifications

Crushes ice up to two inches thick.


Three times faster than standard icebreaking operation, even at low temperatures.

Interchangeable bolted-on teeth by section, which reduces servicing costs.

Equipped with rubber shock absorbers for shock absorption.

Unique angled helix design using a 7-tooth serrated roller installed every half inch to avoid marking the ground.

Abrasive and melting material reduction (green solution.)



V-PLOW

Manufacturer	GRYB
Machine class	70 to 90 HP
Working width	66 to 98 inches
Height	34.5 inches

Carbide insert scraper for increased wear resistance.

Adjustable and durable skid shoes.

Side walk protector. Can run on a side walk.

Large angling rotation and large workspace.

Heavy duty construction.



SPREADER BUCKET

Manufacturer	GRYB
Machine class	10+
Width	102 inches
Capacity	3.5 yd ³



Scan for complete product specifications

Two independent augers allow adjusting the spread quantity and direction.

Spreading control is done in the cab.

Available in one model only.

ATTACHMENT ACCESSORIES

4-PT HITCH

Includes hitch, lift cylinder, hoses and quick coupler.

MID PTO DRIVE KIT

For 4 point front hitch with PTO driven attachments. Includes driveline, mid drive shaft and tractor half of driveline.

GLOBAL CARRIER BRACKET KIT

QUICK-ATTACH BRACKET KIT





COMPACT EXCAVATOR IMPLEMENTS

REVERSIBLE WEDGE QUICK COUPLER

16



PIN GRABBER

16



FEMALE BLANK LUGS

16



GTR TILTROTATOR

17



DITCHING BUCKET

17



HEAVY DUTY BUCKET

17



TRAPEZOIDAL BUCKET

18



HYDRAULIC TILT DITCHING BUCKET

18



SKELETON BUCKET

18



4 IN 1 BUCKET

19



HYDRAULIC STICK PIVOT THUMB

19



UNIVERSAL WELD-ON THUMB

19



ROOT RAKE

20



RIPPER

20



AHJ REVERSIBLE BUCKET

20



EXCAVATOR MULCHER

VM SERIES
21





REVERSIBLE WEDGE QUICK COUPLER

Manufacturer	GRYB
Machine weight	1.5 to 9.9 tons
Type	Mechanical or hydraulic



Scan for complete product specifications

Keeps the original rotations of the excavator.

Simplified hydraulics.

Double action cylinder with safety valve.



PIN GRABBER

Manufacturer	GRYB
Machine weight	1.5 to 9.9 tons
Type	Mechanical or hydraulic



Scan for complete product specifications

Dual safety system.

Compatible with multiple types of attachments.

Maximizes the efficiency of your attachments.



FEMALE BLANK LUGS

Manufacturer	GRYB
Machine weight	1.5 to 9.9 tons
Available for	Buckets, rippers, bucket relug, hammer/compactor



Scan for complete product specifications

Compatible with all types of wedge or pin-on attachments.

With or without excess under the quick coupler.

Available in standard or reversible configurations to fit your needs.



GTR TILTROTATOR

Manufacturer	GRYB
Machine weight	1.5 to 9.9 tons
Weight	216 to 518 lbs
Capacity	0.08 to 0.75 yd ³



Scan for complete product specifications

Get up to 15% savings on fuel.

Improve your productivity by up to 40%.

Greased-filled gear housing for improved performance and decreased maintenance.

Multiple attachments available.



DITCHING BUCKET

Manufacturer	GRYB
Machine weight	1.5 to 9.9 tons
Width	12 to 96 inches
Capacity	0.08 to 0.75 yd ³



Scan for complete product specifications

Filling and dumping at an optimized angle.

Maintenance time reduced.



HEAVY DUTY BUCKET

Manufacturer	GRYB
Machine weight	1.5 to 9.9 tons
Width	12 to 36 inches
Capacity	0.04 to 0.54 yd ³



Scan for complete product specifications

Made to handle various small materials in the construction industry.

Optimized angle for filling and dumping.

Reversible attachment available.

Side cutter available bolted or welded.



TRAPEZOIDAL BUCKET

Manufacturer	GRYB
Machine weight	2.3 to 9.9 tons
Width	36 to 60 inches
Capacity	0.12 to 0.50 yd ³



Scan for complete product specifications

Filling and dumping at an optimized angle.

Maintenance time reduced.



HYDRAULIC TILT DITCHING BUCKET

Manufacturer	GRYB
Machine weight	2.3 to 9.9 tons
Width	36 to 60 inches
Capacity	0.18 to 0.70 yd ³



Scan for complete product specifications

Hydraulic cylinders with total protection from debris.

45° tilt on each side.

Hardened chrome-plate axle with greaseable wearing rings.



SKELETON BUCKET

Manufacturer	GRYB
Machine weight	2.3 to 9.9 tons
Width	18 to 36 inches
Capacity	0.09 to 0.54 yd ³



Scan for complete product specifications

Ideal for recycling materials.

Two models available: general-purpose bucket and ditching bucket.

Variable bucket teeth spacing.



4 IN 1 BUCKET

Manufacturer	GRYB
Machine weight	4 to 9.9 tons
Width	24 to 30 inches
Capacity	0.20 to 0.38 yd ³



Scan for complete product specifications

Digs, levels, handles and sorts.

Combine use of a grapple, the strength of a standard thumb, and the functions of a digging and a ditching bucket.



HYDRAULIC STICK PIVOT THUMB

Manufacturer	GRYB
Machine weight	1.5 to 9.9 tons
Length	20 to 36 inches
Weight	80 to 320 lbs



Scan for complete product specifications

Choice of two profiled, two straight or four tines.

135° rotation.



UNIVERSAL WELD-ON THUMB

Manufacturer	GRYB
Machine weight	1.5 to 9.9 tons
Length	18 to 51 inches
Weight	55 to 240 lbs



Scan for complete product specifications

130° rotation.

Cushion-shock absorbers are included.

Light and compact design.

Two possible length setups.



ROOT RAKE

Manufacturer	GRYB
Machine weight	1.5 to 9.9 tons
Width	36 or 48 inches
Number of tines	6



Scan for complete product specifications

Multiple configuration available for the spacing between tines.



RIPPER

Manufacturer	GRYB
Machine weight	1.5 to 9.9 tons
Length	20 to 30 inches
Teeth	J200, J225, J250



Scan for complete product specifications

Offers superior digging force.

Interchangeable bolt-on teeth.

Minimal maintenance is required.



AHJ REVERSIBLE BUCKET

Manufacturer	GRYB
Machine weight	1.5 to 6 tons
Position	Reverse or normal
Type	Mechanical or hydraulic

Work in a reversible position with your John Deere attachments! Save time and machine travel.

Patented reversible lugs.

Optional OEM John Deere quick hitch.



EXCAVATOR MULCHER

VM SERIES

Manufacturer	Shearex
Cutting width	28 or 42 inches
Number of blades	9 to 14
Weight	1,100 to 1,668 lbs



Scan for complete product specifications

Bite limiter drum. Choose between carbide teeth or blades.

CONVEX DX™ Protection System.

G2.0 balancing standard zero vibration rotor.

Blade angle optimized for a perfect cut.





COMPACT WHEEL LOADER / CTL IMPLEMENTS

**HYDRAULIC
QUICK
COUPLER**

24



**FEMALE
BLANK LUGS**

24



**LIGHT
MATERIAL
BUCKET**

24



**WOODCHIP
BUCKET**

25



**GENERAL
PURPOSE
BUCKET**

25



**SIDE DUMP
BUCKET**

25



**HIGH DUMP
BUCKET**

26



**MULTI-
PURPOSE
BUCKET**

26



**SKELETON
BUCKET**

26



**GRAPPLE
BUCKET**

27



**HEAVY DUTY
BUCKET**

27



JIB BOOM

27



FORK

28



**BITE LIMITER
MULCHER**

HM SERIES
28



**DRUM
MULCHER**

HD SERIES
28



**BRUSH
GRAPPLE**

29





HYDRAULIC QUICK COUPLER

Manufacturer	GRYB
Machine class	10 to 30
Also available	Mechanical quick coupler, Skidsteer hydraulic quick coupler, Hydraulic side dump quick coupler, Fusion hydraulic quick coupler



Scan for complete product specifications

Compatible with all female couplers and all loader models.

Designed for maximum visibility.

High-resistance hydraulic cylinders with all-around protection.



FEMALE BLANK LUGS

Manufacturer	GRYB
Machine class	10 to 30



Scan for complete product specifications

With surplus for all bucket or chassis designs.

Various compatibilities are available.



LIGHT MATERIAL BUCKET

Manufacturer	GRYB
Machine class	10 to 30
Width	102 to 120 inches
Capacity	2.00 to 6.00 yd ³



Scan for complete product specifications

Increased loading capacity.

Protective lining for a quick hitch.

Interchangeable bolt-on blade included.

Bolt-on heels included.



WOODCHIP BUCKET

Manufacturer	GRYB
Machine class	10 to 30
Width	96 to 108 inches
Capacity	4.00 to 6.00 yd ³



Scan for complete product specifications

Oversized capacity for light materials like woodchip and mulch.
 High-strength steel reinforcements under the bucket to reduce wear.



GENERAL PURPOSE BUCKET

Manufacturer	GRYB
Machine class	10 to 30
Width	82 to 102 inches
Capacity	1.00 to 3.00 yd ³



Scan for complete product specifications

Optimized opening angles.
 High tensile steel wear parts.
 Available in multiple widths and capacities.
 Interchangeable bolt-on blades.



SIDE DUMP BUCKET

Manufacturer	GRYB
Machine class	10 to 30
Width	96 to 108 inches
Capacity	1.00 to 2.50 yd ³



Scan for complete product specifications

Dump angle up to 120°.
 Bolt-on blade with recessed nut included.
 High-capacity.
 Shock absorber cushions.
 HD hydraulic cylinder.
 Left-hand or right-hand dump.



HIGH DUMP BUCKET

Manufacturer	GRYB
Machine class	10 to 30
Width	98 to 120 inches
Capacity	1.00 to 6.50 yd ³



Scan for complete product specifications

Damping pads.

Rubber pads on each sides acting as shock absorber.

Oversized rod for intensive work.

Optional bolted-on blade.

120° dumping angle.



MULTI-PURPOSE BUCKET

Manufacturer	GRYB
Machine weight	10 to 23 tons
Width	24 to 48 inches
Capacity	0.50 to 1.40 yd ³



Scan for complete product specifications

Digs, levels, handles and sorts.

Combine use of a grapple, the strength of a standard thumb, and the functions of a digging and a ditching bucket.



SKELETON BUCKET

Manufacturer	GRYB
Machine class	10 to 30
Width	98 or 102 inches
Capacity	1.75 to 2.50 yd ³



Scan for complete product specifications

Adjustable distance between tines fitting your needs.

Ideal for sorting and recycling materials.



GRAPPLE BUCKET

Manufacturer	GRYB
Machine class	20 to 30
Width	108 or 120 inches
Capacity	2.00 to 3.00 yd ³



Scan for complete product specifications

Robust grapple design.

HD hydraulic cylinder.

Filling and dumping at an optimized angle.



HEAVY DUTY BUCKET

Manufacturer	GRYB
Machine class	30
Width	102 inches
Capacity	2.50 to 3.00 yd ³



Scan for complete product specifications

Spill guard protects the quick coupler.

Protection of the machine with rock kickers.

Multiple wear configurations available.

Vertical protectors prolong the life of the bucket.



FIXED JIB BOOM

Manufacturer	GRYB
Machine class	10 to 30
Length	4 to 8 feet
Capacity	3,000 to 9,500 lbs



Scan for complete product specifications

Capacity-extending stick is custom made, to handle any kind of job you have.

An optimized design offering visibility and safety compared with lift attachments.

Also available in a mechanical extendable version.



FORK

Manufacturer	GRYB
Machine class	10 to 30
Width	48 to 96 inches
Capacity	5,500 to 28,200 lbs



Scan for complete product specifications

Compatible with hydraulic and mechanical systems.

Different fork formats, thickness, width and length available.

Optional hydraulic positioning.

Optional heel and back rest available.



BITE LIMITER MULCHER HM SERIES

Manufacturer	Shearex
Cutting width	59 or 75 inches
Number of blades	21 to 27
Compatibility	Skid steer only



Scan for complete product specifications

Choose between carbide teeth or blades.

CONVEX DX™ protection system.

Zero vibration rotor - G2.0 balancing standard.

Blade angle optimized for a perfect cut.



DRUM MULCHER HD SERIES

Manufacturer	Shearex
Cutting width	59 inches
Number of hammers	34
Compatibility	Skid steer only



Scan for complete product specifications

Poly-Chain® Carbon transmission belt.

Liner and skid shoes made of Hardox® for ultimate wear resistance.

Fastest Rotor Recovery with closer center of gravity for better handling.

Unique hose guard to avoid getting tangled in branches paired with Heavy duty spirale hydraulic hose protectors.



BRUSH GRAPPLE

Manufacturer	Shearex
Width	60 to 83 inches
Number of tines	6 to 9 tines
Compatibility	Skid steer only

Cylinder protector.

Double grapple, 3000 psi cylinder.

Hydraulic hose guard.

Greased rod.

Universal skid steer attachment.





SHEAREX
HD-1015



DANGER STAND CLEAR 300"

116

WARNING
Illustration of a person and a machine.

GRYB

AG & LIGHT INDUSTRIAL

AGLIGHT@GRYB.COM

FOLLOW US     